


DIMENSIONS AND SPECIFICATIONS

Aspen Cased Upflow Coils

Designed for Goodman GMT and GMNT Furnaces



GENERAL SPECIFICATIONS

- Standard refrigerant connections: liquid line - 3/8" ODS, suction line - 7/8" ODS
- Right-hand refrigerant and plumbing connections.
- One 3/4" MPT condensate drain.
- Powder-painted metal drain pan. Stainless available.
- Five-year warranty.
- Flowrater standard. Factory or field-installable TXV available.
- Front access panel for easy service.
- Every coil immersion-tested at 500 psi, then nitrogen-pressurized and sealed.
- Heavy gauge embossed galvanized cabinets fully lined with 1/2" faced insulation.
- Flush-fits furnace in most applications.
- Rifled copper tubing, enhanced aluminum fins.
- ARI certifiable with all brands of A/C and heat pump systems.
- ETL listed.

FURNACE MODEL	COIL MODEL	SUFFIX	FOOTPRINT		BOTTOM OPENING		TOP OPENING		HEIGHT
			A	B	C	D	E	F	
GMT045-3, 070-3	BV1** 24	A2W18	14	21-3/8	12-3/4	19-7/8	12-1/2	19-7/8	18
	BVR** 24	A2W12	14	21-3/8	12-3/4	19-7/8	12-1/2	19-7/8	12
GMNT040-3, 060-3	BV1** 30	A2W18	14	21-3/8	12-3/4	19-7/8	12-1/2	19-7/8	18
	BVR** 30	A2W18	14	21-3/8	12-3/4	19-7/8	12-1/2	19-7/8	18
	BV5** 36	A2W18	14	21-3/8	12-3/4	19-7/8	12-1/2	19-7/8	18
	BVR** 36	A2W18	14	21-3/8	12-3/4	19-7/8	12-1/2	19-7/8	18
GMT070-4, 090-3, 090-4	BV5** 36	A2X18	17-1/2	21-3/8	16-1/4	19-7/8	16	19-7/8	18
	BVR** 36	A2X18	17-1/2	21-3/8	16-1/4	19-7/8	16	19-7/8	18
	BV5** 42	A2X24	17-1/2	21-3/8	16-1/4	19-7/8	16	19-7/8	24
GMNT080-4	BVR** 42	A2X18	17-1/2	21-3/8	16-1/4	19-7/8	16	19-7/8	18
	BV1** 48	A2X24	17-1/2	21-3/8	16-1/4	19-7/8	16	19-7/8	24
	BV5** 48	A2X24	17-1/2	21-3/8	16-1/4	19-7/8	16	19-7/8	24
	BVR** 48	A2X24	17-1/2	21-3/8	16-1/4	19-7/8	16	19-7/8	24
GMT090-5, 115-5	BV1** 48	A2Y26	21	21-3/8	19-3/4	19-7/8	19-1/2	19-7/8	26
	BV5** 48	A2Y26	21	21-3/8	19-3/4	19-7/8	19-1/2	19-7/8	26
GMNT100-4	BVR** 48	A2Y20	21	21-3/8	19-3/4	19-7/8	19-1/2	19-7/8	20
	BV1** 60	A2Y26	21	21-3/8	19-3/4	19-7/8	19-1/2	19-7/8	26
	BV2** 60	A2T26	21	23	19-3/4	20-1/2	19-1/2	21-1/2	26
	BV7** 60	A2Y26	21	21-3/8	19-3/4	19-7/8	19-1/2	19-7/8	26
GMT140-5	BV1** 48	A2Z26	24-1/2	21-3/8	23-1/4	19-7/8	23	19-7/8	26
	BV5** 48	A2Z26	24-1/2	21-3/8	23-1/4	19-7/8	23	19-7/8	26
GMNT120-5	BVR** 48	A2Z20	24-1/2	21-3/8	23-1/4	19-7/8	23	19-7/8	20
	BV1** 60	A2Z26	24-1/2	21-3/8	23-1/4	19-7/8	23	19-7/8	26
	BV2** 60	A2U26	24-1/2	23	23-1/4	20-1/2	23	21-1/2	26
	BV7** 60	A2Z26	24-1/2	21-3/8	23-1/4	19-7/8	23	19-7/8	26